



CERTIFICATE NUMBER
15-VC1418417-PDA

DATE
10 Sep 2015

ABS TECHNICAL OFFICE
TIV-MEX-Veracruz Engineering
Services

CERTIFICATE OF DESIGN ASSESSMENT

This is to certify that a representative of this Bureau did, at the request of

ASSOCIATED TECHNOLOGIES

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

Product: **Fastener, Bonded**

Model: **PS62 Stud, ST125 Stud, SOB125 Blind Standoff, HS200 Heavy Load Stud, AT-7 Tie Mount, AT-8 Tie Mount, AT-9 Tie Mount & AT6030 Acrylic Adhesive.**

This Product Design Assessment (PDA) Certificate 15-VC1418417-PDA, dated 10/Sep/2015 remains valid until 09/Sep/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

AMERICAN BUREAU OF SHIPPING


Tim Kimble
Engineer

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by the terms and conditions as contained in ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010).

ASSOCIATED TECHNOLOGIES

57 OZICK DRIVE - SUITE G

DURHAM CT

United States 06422

Telephone: 860-788-3380

Fax: 860-788-3374

Email: info@weldmountsystem.com

Web: www.weldmountsystem.com

Tier: 2 - PDA Issued

Product: Fastener, Bonded

Model: PS62 Stud, ST125 Stud, SOB125 Blind Standoff, HS200 Heavy Load Stud, AT-7 Tie Mount, AT-8 Tie Mount, AT-9 Tie Mount & AT6030 Acrylic Adhesive.

Intended Service:

Marine and Offshore Application - for Mechanical Attachment Point with Adhesive bond for use of electrical wires, Cable Trays & Electrical Boxes.

Description:

Panel Stud, PS62, ST125, HS200 and SOB125 manufactured with Stainless Steel, bonded with AT-6030 Acrylic Adhesive.

Wire Tie Mounts AT-7, AT-8 and AT-9 manufactured with Aluminum 5052 & Anodized Aluminum, bonded with AT-6030 Acrylic Adhesive.

Rating:

PS62 maximum load : 150 lbs

ST125 maximum load : 150 lbs

HS200 maximum load : 450 lbs

SOB125 maximum load : 150 lbs

AT-9 maximum load : 50 lbs.

AT-8 maximum load : 10 lbs.

AT-7 maximum load : 50 lbs.

AT-6030 service temperature range: -40°F to 180°F

See Attached "PDF" "Weld Mount Part Descriptions ABS" for Weld Mount Part Description - Fastener Usage (Recommended Application and Restriction).

Service Restriction:

Unit Certification is not required for this product. If the manufacturer or purchaser request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

i) Bonding process to be followed per manufacturer's installation instructions.

ii) AT-7 Wire Tie Mount not suitable for use as Cable Ties, unless a flame retardant test is provided in accordance with IEC 60092-101 as indicated in Steel Vessel Rules 4-8-4/21.9.3. b)

Comments:

The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.

i) Storage instructions and expiration dates are to be clearly marked on the package.

ii) Fastener are not recommendable for use in the locations where the service temperature exceeds that of the specified adhesive.

iii) Extent of use to be reviewed on a case by case basis.

iv) Particular attention need to be given to surface preparation and cleanliness of the surface to be bonded.

Notes/Drawing/Documentation:

Drawing PS62-832-XXSS, PS62 Stainless Steel Panel Stud with 0.62" base.

Drawing ST125-1024-XXSS, ST125 Stainless Steel Panel Stud with 1.25" base.

Drawing ST125-1420-XXSS, ST125 Stainless Steel Panel with 1.25" base.

Drawing HS200-51618-XXSS, Stainless Steel Stud with 2" Base.

Drawing SOB125-1420-XXSS, Stainless Steel Standoff with 1.25" Base.

Drawing AT-7, AT-7 Swivel Tie Mount.

Drawing AT-8, AT-8 Aluminum Tie Mount.

Drawing AT-9, AT-9 Aluminum Tie Mount.

AT-6030 GHS Safety Data Sheet AT-6030 Metal Bonding Adhesive

ASSOCIATED TECHNOLOGIES

57 OZICK DRIVE - SUITE G

DURHAM CT

United States 06422

Telephone: 860-788-3380

Fax: 860-788-3374

Email: info@weldmountsystem.com

Web: www.weldmountsystem.com

Tier: 2 - PDA Issued

AT-6030 Metal Bonding Adhesive Installation Guide.
AT-6030 Metal Bonding Adhesive Properties Table.
AT-6030 Metal Bonding Adhesive Product Description Sheet.
Pull Test Report Of Powder Coated Aluminum Plate.
Weld Mount Part Descriptions - ABS.

Terms of Validity:

This Product Design Assessment (PDA) Certificate 15-VC1418417-PDA, dated 10/Sep/2015 remains valid until 09/Sep/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

STANDARDS

ABS Rules:

The Rules for Conditions of Classification, Part 1 2015 Steel Vessels Rules 1-1-4/7.7, 1-1-A3, 1-1-A4, which covers the following:
2015 Steel Vessel , 4-8-4/21.9.1.

The Rules for Conditions of Classification, Part 1 - 2015 Offshore Units and Structures 1-1-4/9.7, 1-1-A2, 1-1-A3 which covers the following:
2015 Mobile Offshore Drilling Units 4-3-3/5.9.1., 7-1-5/5.9.1.

National:

NA

International:

NA

Government:

NA

EUMED:

NA

OTHERS:

NA